



CREATE MORE OPEN SPACE WITH
SUSTAINABLE DOOR SOLUTIONS

Kömmerling PremiDoor 76



WELCOME THE SUN INTO YOUR HOME

Bright living spaces flooded with light – a dream within reach at any time: With our lift/sliding system Kömmerling PremiDoor 76. Recharge your batteries with a view into nature, or enjoy the expanse of the urban skyline. Anything is possible, because Kömmerling PremiDoor 76 creates generous glazed areas that integrate the outside into your four walls. Good to know: The system is barrier-free, impresses with maximum handling ease and ensures high thermal insulation. In addition, the profiles are recyclable and made of eco friendly PVC-U. The result is sustainable lift/sliding door solutions, perfect for new buildings and renovations.

AT A GLANCE

- > Barrier-free thresholds
- > Tall installed heights and glazed areas
- > High level of incoming light and thus more heat recovery
- > User-friendly operation when opening and closing
- > Sustainable, recyclable system solution made of eco friendly, lead-free PVC-U profiles



LOOK ON THE BRIGHT SIDE

Kömmerling PremiDoor 76 Lux

Are you looking for more? More transparency, more incoming light, more heat gain? Then Kömmerling PremiDoor 76 Lux is perfect for you. Thanks to its sophisticated design, the sash profile is exceptionally slender in the fixed glazing. This creates particularly generous glazed areas that let in even more sunlight, therefore providing additional heat gain.



Kömmerling PremiDoor 76

GIVE LIGHT MORE SPACE

Kömmerling PremiDoor 76 and PremiDoor 76 Lux

Are maximum thermal, sound and burglary protection important to you? Then the lift/sliding door system Kömmerling PremiDoor 76 is perfect for you. You can choose between two variants: The classic Kömmerling PremiDoor 76 design, which already offers high thermal insulation. Or you can opt for Kömmerling PremiDoor 76 Lux with even more incoming light.

PremiDoor 76	PremiDoor 76 Lux
✓ Maximum installed height of 2.60 m	✓
✓ Glazing options up to 52 mm	✓
✓ Optimum thermal insulation already in the standard U: 1.4 W/(m²K)	✓
✓ Burglary protection up to security standard RC 2	✓
✓ Barrier-free threshold	✓
Significantly more incoming light thanks to reduced sash profile	✓



Kömmerling PremiDoor 76 Lux

PERFECT VIEWS, WONDERFUL PROSPECTS

Kömmerling PremiDoor 76 opens up a wealth of design possibilities for you - thanks to a wide range of colours and materials. The palette ranges from classic PVC-U white, high-quality foiled solutions and AluClip aluminium shells to Kömmerling AcrylColor and proCoverTec.





COLOURS WITH A PROTECTIVE EFFECT

Kömmerling AcrylColor

Kömmerling AcrylColor offers colour diversity and a protective shield at the same time on the outside of your Kömmerling PremiDoor 76. The principle: Thanks to a heat treatment process, the acrylic is inseparably bonded with the PVC-U of the profile. This ensures that the window profiles remain colour-fast for a long time. They are have high scratch resistance, are easy to clean, weather resistant and virtually maintenance-free. Another advantage: Kömmerling AcrylColor profiles are 100% recyclable.




THE UNBEATABLE DUO

Aluminium cladding AluClip

The AluClip aluminium cladding gets even more out of your Kömmerling PremiDoor 76 solution. The combination of PVC-U profile and aluminium ensures an easy-care, elegant and cost-effective solution for you to enjoy for a long time. The particular advantage: In addition, the AluClip version offers an unlimited choice of colours.





COLOUR VARIETY AND YOUR POSSIBILITIES

PremiDoor 76	PremiDoor 76 Lux
✓ Classic PVC-U white	✓
✓ Laminated in wood grain	✓
✓ Laminated in plain colours	✓
✓ Laminated in metallic colours	✓
✓ AluClip	✓
✓ Kömmerling AcrylColor	
✓ proCoverTec	✓



INNOVATIVE SURFACE TECHNOLOGY




proCoverTec – protected by colour

An innovative surface technology that can do more than just be colourful: proCoverTec gives a satin look and slightly textured feel. In addition, proCoverTec is UV and infrared light resistant as well as dirt repellent. In short, it's the perfect combination of effective protection and decorative colour.

OPENING MODES



SYSTEM A, DIN left
1 lift/sliding sash
1 fixed pane



SYSTEM K
2 lift/sliding sashes
1 fixed pane



SYSTEM D
2 lift/sliding sashes



SYSTEM C
2 lift/sliding sashes
2 fixed panes

#KömmerlingForTomorrow

profine GmbH
Kömmerling

Zweibrücker Straße 200
66954 Pirmasens
Tel. +49 (0) 6331 560
E-mail: info@koemmerling.com

www.koemmerling.com

